STATE OF UTAH

					DEPARTMENT DIVISION O		TURAL RESO GAS AND M				AMEND	ED REPOR	T		
APPLICATION FOR PERMIT TO DRILL									1. WELL NAME and NUMBER GMBU F-31-8-18						
2. TYPE OF WORK DRILL NEW WELL REENTER P&A WELL DEEPEN WELL										3. FIELD OR WILDCAT MONUMENT BUTTE					
4. TYPE OF WELL Oil Well Coalbed Methane Well: NO										5. UNIT or COMMUNITIZATION AGREEMENT NAME GMBU (GRRV)					
6. NAME OF OPERATOR NEWFIELD PRODUCTION COMPANY										7. OPERATOR PHONE 435 646-4825					
8. ADDRESS OF OPERATOR										9. OPERATOR E-MAIL					
Rt 3 Box 3630 , Myton, UT, 84052 10. MINERAL LEASE NUMBER							mcrozier@newfield.com 12. SURFACE OWNERSHIP								
(FEDERAL	, INDIAN, OR S	TATE) UTU-74872	FEDERAL INDIAN STATE FEE				FEDERAL INDIAN STATE FEE								
13. NAME OF SURFACE OWNER (if box 12 = 'fee')										14. SURFACE OWNER PHONE (if box 12 = 'fee')					
15. ADDRESS OF SURFACE OWNER (if box 12 = 'fee')										16. SURFACE OWNER E-MAIL (if box 12 = 'fee')					
17. INDIAN ALLOTTEE OR TRIBE NAME (if box 12 = 'INDIAN')				М	18. INTEND TO COMMINGLE PRODUCTION FROM MULTIPLE FORMATIONS					19. SLANT					
			-		YES (Submit Commingling Application) NO					VERTICAL DIRECTIONAL DIRECTIONAL HORIZONTA				AL 🔵	
20. LOCA	TION OF WELL			FOOT	DOTAGES		TR-QTR	SECTION		TOWNSHIP	RANGE		MERIDIAN		
LOCATION AT SURFACE 667 F				67 FNL	NL 629 FEL		NENE	36		8.0 S 17		7.0 E S		S	
Top of Uppermost Producing Zone				110 FNL	131 FEL		NENE 3			8.0 S	17.0 E		S		
At Total Depth 1496 FN					NL 273 FWL		SWNW 31					8.0 E S		S	
21. COUNTY UINTAH				22	22. DISTANCE TO NEAREST LEASE LINE (Feet) 273					23. NUMBER OF ACRES IN DRILLING UNIT					
					25. DISTANCE TO NEAREST WELL IN SAME POOL (Applied For Drilling or Completed) 937					26. PROPOSED DEPTH MD: 6491 TVD: 6355					
27. ELEVATION - GROUND LEVEL 5034				28	28. BOND NUMBER WYB000493					29. SOURCE OF DRILLING WATER / WATER RIGHTS APPROVAL NUMBER IF APPLICABLE 437478					
					Hole, Casing	, and C	Cement Info	rmation							
String	Hole Size	Casing Size	Length	Weigl			Max Mu	Max Mud Wt.		Cement		Sacks	Yield	Weight	
Surf	12.25	8.625	0 - 300	24.0			8.3			Class G		138	1.17	15.8	
Prod	7.875	5.5	0 - 6491	15.5	5 J-55 LT8	&C	8.3		Pren	50/50 Poz		310	1.24	11.0	
				<u> </u>											
					Α'	TTACH	HMENTS								
VERIFY THE FOLLOWING ARE ATTACHED IN ACCORDANCE WITH THE UTAH OIL AND GAS CONSERVATION GENERAL RULES															
WELL PLAT OR MAP PREPARED BY LICENSED SURVEYOR OR ENGINEER							COMPLETE DRILLING PLAN								
AFFIDAVIT OF STATUS OF SURFACE OWNER AGREEMENT (IF FEE SURFACE)							FORM 5. IF OPERATOR IS OTHER THAN THE LEASE OWNER								
DIRECTIONAL SURVEY PLAN (IF DIRECTIONALLY OR HORIZONTALLY DRILLED)						✓ TOPOGRAPHICAL MAP									
NAME Mandie Crozier TITLE Regulatory Tech							PHONE 435 646-4825								
SIGNATURE					DATE 04/30/2012				EMAIL mcrozier@newfield.com						
API NUMBER ASSIGNED 43047525930000					APPROVAL				Permit Manager						

T8S, R17E, S.L.B.&M. NEWFIELD EXPLORATION COMPANY 1910 $N89^{\circ}59'W - 79.92 (G.L.O.)$ S89°07'43"W - 2633.02' (Meas., WELL LOCATION, F-31-8-18, LOCATED S89°00'06"W - 2646.30' (Meas.) AS SHOWN IN THE NE 1/4 NE 1/4 OF 1910 1910 SECTION 36, T8S, R17E, S.L.B.&M. Brass Cap Brass Cap Top of $\overset{\smile}{\omega}$ UINTAH COUNTY, UTAH. (Meas., Hole : 2643. DRILLING WINDOW 289.05 BAR SCALE NO0°53'27"W NOTES: 1. Well footages are measured at right angles to the Section Lines. 2. Bearings are based on Global (C.L.O.) Positioning Satellite observations. 1910 Brass Cap 1910 N00.00N Brass Cap NORTH WELL LOCATION: F-31-8-18 ELEV. EXIST. GRADED GROUND = 5034' THIS IS TO CERTIFY THATOP PREPARED FROM FIELD. 264 MADE BY ME OR UNDER AND THE SAME ARE TRUE AND OF MY KNOWLEDGE 7 53, ,00N Corner Missing: (Position Double 1910 1910 Proportioned) Brass Cap Brass Cap N89°04'26"E - 2637.55' (Meas.) N89°03'58"E - 2640.49' (Meas.) TRI STATE LAND SURVEYING & CONSULTING $N89^{\circ}58'E - 79.92 (G.L.O.)$ 180 NORTH VERNAL AVE. - VERNAL, UTAH 84078 = SECTION CORNERS LOCATED (435) 781 - 2501F-31-8-18 DATE SURVEYED: BASIS OF ELEV; Elevations are based on SURVEYED BY: C.D.S. VERSION: (Surface Location) NAD 83 01 - 24 - 11an N.G.S. OPUS Correction. LOCATION: $LATITUDE = 40^{\circ} 04' 47.49''$ DATE DRAWN: DRAWN BY: F.T.M. LAT. 40°04'09.56" LONG. 110°00'43.28" LONGITUDE = 109° 56' 51.83' 02-01-11 (Tristate Aluminum Cap) Elev. 5281.57' REVISED: SCALE: 1" = 1000'

T8S, R18E, S.L.B.&M.

N89°57'E - 79.32 G.L.O. N88°56'07"E - 2639.73' (Meas.) Brass N89°02'32"E - 2580.57' (Meas.) 1910 Brass Cap LOT 1 TARGET BOTTOM HOLE: LOT 2 F-31-8-18 0.0 (G.L. 1910 NORTH Brass Cap LOT 3 R18. LOT 4 Corner Missing: 1910 Corner (Position Double Brass Cap

BASIS OF ELEV; Elevations are based on an N.G.S. OPUS Correction. LOCATION: LAT. 40°04'09.56" LONG. 110°00'43.28" (Tristate Aluminum Cap) Elev. 5281.57'

N89°00'09"E - 2597.21' (Meas.)

Proportioned)



N89°59'E - 79.40 (G.L.O.)

Missing

= SECTION CORNERS LOCATED


N89°00'09"E - 2636.76' (Meas.)

NEWFIELD EXPLORATION COMPANY

TARGET BOTTOM HOLE, F-31-8-18, LOCATED AS SHOWN IN THE SW 1/4 NW 1/4 (LOT 2) OF SECTION 31, T8S, R18E, S.L.B.&M. UINTAH COUNTY, UTAH.



- 1. Well footages are measured at right angles to the Section Lines.
- 2. Bearings are based on Global Positioning Satellite observations.
- 3. The Center of Pattern footages are 1300' FNL & 60' FWL.
- 4. The Bottom of Hole footages are 1496' FNL & 273' FWL.



TRI STATE LAND SURVEYING & CONSULTING

180 NORTH VERNAL AVE. - VERNAL, UTAH 84078 (435) 781 - 2501

	· '			
DATE SURVEYED: 01-24-11	SURVEYED BY: C.D.S.	VERSION:		
DATE DRAWN: 02-01-11	DRAWN BY: F.T.M.	\ /1		
REVISED:	SCALE: 1" = 1000'	V I		